## Crop Report

Published by the Ministry of Agriculture ISSN 0701 7085

Report number 2, April 22, 2010

## Crop Report for the Period April 13 to April 19, 2010

The April 13 and 14 rain supplied many farmers and ranchers with soil moisture to help with spring seeding conditions, according to Saskatchewan Agriculture's Weekly Crop Report.

The west-central area averaged 27 mm, the southwest region averaged 18 mm and the northwest region averaged 39 mm of moisture. In the west-central region, the moisture was welcomed, but more is needed to help cope with the dry conditions experienced over the past couple of years. Crop reporters in the northeast are reporting fields are quite wet in some areas.

Across the province, topsoil moisture on cropland is rated as eight per cent surplus, 80 per cent adequate, eight per cent short and four per cent very short. Topsoil moisture on hay land and pasture is rated as four per cent surplus, 72 per cent

adequate, 20 per cent short and four per cent very short.

Producers in the southwest have begun seeding peas and mustard.

Crop reporters are indicating that, with a few exceptions, there is an adequate supply of crop input products. Warm spring temperatures have farmers picking rocks and applying fertilizer and herbicide. Livestock producers are busy with calving and fixing fences.

Southeastern Saskatchewan (Crop Districts 1, 2, and 3ASE)

The south east region averaged 14 mm of rain, with the majority of it recorded on April 13 and 14. Precipitation amounts varied across the region with the Marquis area receiving 25 mm, the Gainsborough area recording 17 mm and the Radville area recording 6 mm.

Topsoil moisture conditions for crop land are 86 per cent adequate, nine per cent short and five per cent very short. Hay and pasture topsoil moisture conditions are rated as 71 per cent adequate, 23 per cent short and six per cent very short.

Crop reporters are indicating 75 and 79 per cent of the region had adequate or carry over forage and feed grain supplies, respectively. Twenty-five per cent of the regions livestock producers were faced with inadequate supplies and purchased forage during the winter.

The recent warm spring weather has been a treat for calving. Farmers are busy picking rock, harrowing, applying fertilizer and herbicides. Winter wheat survival seems to be good. Seeding is expected to start next week as fields tend to be drying up quickly.

For further information, contact: Grant McLean, PAg,
Cropping Management Specialist, Agriculture Knowledge Centre,
Toll Free: 1-866-457-2377, E-mail: cropreport@gov.sk.ca.
Also available on the Ministry of Agriculture website at www.agriculture.gov.sk.ca.



#### Southwestern Saskatchewan (Crop Districts 3ASW, 3AN, 3B and 4)

The rain received last week will help farmers and ranchers with spring seeding and grazing. The region received 18 mm of moisture on average, ranging from 5 mm to 35 mm. The Bengough and Hazenmore areas received 22 mm, Swift Current area received 17 mm and the Eastend area received 5 mm.

Topsoil moisture conditions for crop land are reported as 71 per cent adequate, 19 per cent short and 10 per cent very short. Topsoil moisture conditions on hay and pasture are 66 per cent adequate, 28 per cent short and six per cent very short. Crop district 3BN is reporting 22 and 24 per cent very short for crop land, hay and pasture moisture conditions, respectively.

Fifty-four per cent of the regions livestock producers had adequate or carry over forage supplies, while 46 per cent found themselves short of forage and had to purchase hay.

Farmers are in the fields preparing for seeding and cattle are being fed at the yard. Herbicide and fertilizer applications, rock picking and readying machinery are keeping farmers busy. While a few farmers are out putting peas in the ground, the majority of farmers will start seeding next week.

#### East-Central Saskatchewan (Crop Districts 5 and 6a)

The region had a good couple days run of rain last week, averaging 28 mm. The Kelliher, Kuroki, Foam Lake and Craik areas received 25 mm, while other areas around Craik and Hanley received 7 mm and no rain at all. The Humboldt and Nokomis areas received 79 and 68 mm, respectively.

Topsoil moisture conditions on crop land are eight per cent surplus, 89 per cent adequate, and two per cent snort. Hay and pasture topsoil moisture conditions are reported as five per cent surplus, 81 per cent adequate and 14 per cent short.

Cattle producers in the region had 52 per cent adequate or surplus feed supplies, while 48 per cent were in short supply.

The region had between 30,000 and 35,000 acres of flax, canola or oats left out over winter.

Farmers are busy preparing equipment, applying fertilizer and herbicides, calving, picking rock and cleaning seed. Seeding is expected to start for some late next week. The soil is very wet in areas along the east side of Crop district 6A. The weather is cooperating to get pre-seeding field work complete.

#### West-Central Saskatchewan (Crop Districts 6B and 7)

Rain rolled through the majority of the region last week and crop reporters indicated a range of 10 to 47 mm with an average of 27 mm for the region. The Elbow area received 10 mm, the Perdue, Marengo, Kindersley, Luseland, Major, Sonningdale and Macklin areas all received over 30 mm. Producers in the region would appreciate more rain.

Since the rain, crop reporters have indicated there should be enough moisture to at least get the crop germinated and off to a decent start. Topsoil moisture conditions for crop land are 84 per cent adequate, 13 per cent short and three per cent very short. Hay and pasture topsoil moisture conditions are 69 per cent adequate, 21 per cent short and 10 per cent very short. Crop district 7A is reporting 25 and 43 per cent very short for topsoil moisture, respectively.

Cattle producers in the region had 55 per cent adequate or surplus winter feed for cattle, while 45 per cent indicated a shortage of winter feed. Between 5,000 and 6,000 acres of flax, canola or oats were left out last fall due to adverse harvesting conditions. Seeding is expected to commence around the last week in April.

Farmers are getting equipment ready for seeding, fixing fence, calving and applying herbicides and fertilizer.

#### Northeastern Saskatchewan (Crop Districts 8 and 9AE)

The region received a bunch of rain last week, ranging from 10 to 74 mm. Most areas received above 25 mm. The Codette area received 30 mm, Lake Lenore – 52 mm and Prince Albert – 74 mm.

Topsoil moisture conditions on crop land are rated as 41 per cent surplus and 59 per cent adequate. Topsoil moisture conditions on hay and pasture are 42 per cent surplus and 58 per cent adequate. Farmers in the region appreciate the rain, but like the warm and windy weather so the fields dry up a little quicker.

Ninety – one per cent of the regions cattle producers had adequate or surplus forage for the winter, while nine per cent were in short supply.

About 60,000 acres of flax, canola, barley and oats was left out in the field over the winter due to adverse harvest conditions.

Farmers are calving, readying machinery, hauling grain and cleaning seed. Some preseed field work has started, although most are indicating it is too wet to be in the field at this time. Seeding is expected to start in about two weeks.

#### Northwestern Saskatchewan (Crop Districts 9AW and 9B)

The northwestern region received a fair amount of moisture last week ranging from trace to 87 mm and averaging 39 mm. The majority of the region reported 25 mm or more. The Turtleford and St. Walburg areas reported 38 mm, Speers – 28 mm and Leask – 87 mm.


Crop land topsoil moisture is 10 per cent surplus, 76 per cent adequate, 13 per cent short and one per cent very short. Hay and pasture topsoil moisture is 81 per cent adequate, 17 per cent short and two per cent very short.

Crop reporters have indicated 71 per cent of the cattle producers in the region had adequate or surplus forage supply, while 29 per cent were in short supply and needed to resource forage to complete the winter feeding.

Farmers are busy readying equipment, calving, moving grain, cleaning grain and applying fertilizer to hay land. Farmers are generally pleased with the spring weather.

Please note: to access Growing Degree Days for your area, please visit www.farmzone.com

## Crop Districts and Rural Municipalities in Saskatchewan



#### Weekly Rainfall Summary

(in millimotore)

1 inch = 25 mm

for the period April 13 to 19, 2010


					(m man	eters)		Simili for the period April 13 to 13, 2010						
Crop Dist.	R.M. No.	Name	Past Week	Since 1-Apr	Crop Dist.	R.M. No.	Name	Past Week	Since 1-Apr	Crop Dist.	R.M. No.	Name	Past Week	Since 1-Apr
1A	1	Argyle	17	23	4A	49	White Valley	35	38	7B	347 A	Biggar	N/A	N/A
	2	Mount Pleasant Enniskillen	15 N/A	15		49 A 51	White Valley Reno	5 17	24 19		350 A 350 B	Mariposa Mariposa	29 17	48
	33 A	Moose Creek	N/A	7		79	Arlington	15	15		351	Progress	38	43
	33 B	Moose Creek	N/A	5		109	Carmichael	25	26		352	Heart's Hill	30	40
	34 61	Browning Antier	N/A N/A	5 N/A		110	Piapot Maple Creek	15 N/A	15 N/A		377 378 A	Glenside Rosemount	47 29	50 47
	63	Moose Mountain	15	20		139	Gull Lake	21	21		378 B	Rosemount	14	36
	64	Brock	16	18		141	Big Stick	23	25		379	Reford	24	39
	65	Tecumseh	10	10		142	Enterprise	34	36		380	Tramping Lake	N/A	3
B	91 92	Maryfield Walpole	24 18	24 24		169 171	Pittville Fox Valley	N/A 23	25		381 382	Grass Lake Eye Hill	46 28	60
	93	Wawken	11	12		231	Happyland	32	32		408	Prairie	N/A	N/A
	95	Golden West	15	15	5A	181	Langenberg	14	14					
	122	Martin Silvenwood	N/A	N/A		183 185	Fertile Belt	12	12		409	Buffalo	25	38
	123 A 123 B	Silverwood	N/A	N/A		186	Mcleod Abernethy	10	19 21		410	Round Valley Senlac	26 37	26
	124	Kingsley	NA	N/A		211	Churchbridge	17	17	8A	395	Porcupine	N/A	N/A
	125	Chester	N/A	2		213	Saltcoats	27	27		397	Barrier Valley	33	33
	151 A 151 B	Rocanville Rocanville	10 13	12		216 B 241	Tullymet Calder	N/A 22	5 22		428 456	Star City Arborfield	32 10	35
	153	Willowdale	N/A	N/A		243	Wallace	N/A	N/A		457	Connaught	N/A	N/A
	154	Elcapo	N/A	N/A		245 A	Garry	N/A	N/A		458	Willow Creek	30	30
	155	Wolseley	18	18		245 B	Garry	N/A	N/A		486	Moose Range	14	19
2A	66	Griffin	N/A	3		246 247	Ituna Bon Accord Keliross	24 25	24 25	8B	369 370	St. Peter Humboldt	52	53
irt.	67	Weyburn	15	15		248	Touchwood	N/A	N/A		370	Bayne	68	75 63
	68	Brokenshell	9	9	5B	271	Cole	N/A	TR		372	Grant	39	46
	69	Norton	N/A	1		275	Insinger	N/A	N/A		402	Fish Creek	35	39
	96 97	Fillmore Wellington	10 14	10		276 A 277	Foam Lake Emerald	N/A 26	N/A 26		429 A 429 B	Flett's Springs Flett's Springs	N/A 52	N/A 56
2B	127 A	Francis	8	8		278	Kutawa	N/A	N/A		429 B	Invergordon	11	43
	127 B	Francis	0	0		305	Invermay	28	28		459	Kinistino	58	58
	129	Bratt's Lake	20	20		307	Elfros	40	41	9AE	461	Prince Albert	74	7€
		Indian Head	14	14		308	Big Quill Clayton	N/A	N/A		488	Torch River Paddockwood	N/A	N/A
	157	Indian Head South Qu'appelle	N/A	N/A		333 335	Hazel Dell	18 N/A	18	9AW	520 406	Mayfield	N/A 29	22
	160	Pense	20	20		336	Sasman	25	25	21111	435	Redberry	26	57
	161	Moose Jaw	N/A	N/A		337	Lakeview	N/A	5		436	Douglas	28	33
BASE	191	Marquis	25	25		338	Lakeside	36	37		463	Duck Lake	45	50 87
SASE	38 A 38 B	Laurier Laurier	6	12	6A	366 190 A	Kelvington Dufferin	21 N/A	27 N/A		464 467	Leask Round Hill	87 N/A	N/A
	39 A	The Gap	17	17	OP4	190 B	Dufferin	37	37		494	Canwood	N/A	N/A
	39 B	The Gap	15	15		190 C	Dufferin	23	23		496	Spiritwood	36	50
3ASW	10	Happy Valley	16	16		190 D	Dufferin	26	26	00	497	Medstead	27	32
	11	Hart Butte Poplar Valley	N/A N/A	N/A		219 A 219 B	Longlaketon Longlaketon	40 43	40	98	438 440	Battle River Hillsdale	N/A	20
	40	Bengough	22	22		220	Mckillop	20	20		442	Manitou Lake	41	51
	42	Willow Bunch	8	8		221	Samia	22	22		498 A	Parkdale	28	44
	43	Old Post	8	8		222	Craik	26	30		498 B	Parkdale	N/A	N/A
	70	Waverley Key West	12 N/A	12		251 252	Big Arm Arm River	46	46		499 501 A	Mervin Frenchman Butte	38 N/A	50
	71 A	Excel	14	14		279 A	Mount Hope	N/A	N/A		501 B	Frenchman Butte	38	50
	71 B	Excel	16	16		280	Wreford	68	70		501 C	Frenchman Butte	38	53
	20.4	0	48	4.6		282	McCraney	N/A	N/A					
	73 A 73 B	Stonehenge Stonehenge	15 14	15 15		309 313	Praine Rose Lost River	37 NIL	39 31		502 561	Britannia Loon Lake	42 33	57
	74	Wood River	8	9		339	Leroy	31	47		588 A	Meadow Lake	47	57
BAN	101	Terrell	16	16		340	Wolverine	79	81		588 B	Meadow Lake	53	77
	102	Lake Johnston	11	11		341	Viscount	N/A	8		588 C	Meadow Lake	50	66
	103	Sutton Shamrock	16 19	16 19	68	343 253	Blucher Willner	41 10	43 13		588 D 622	Meadow Lake Beaver River	38 N/A	54 N/A
	164	Chaplin	N/A	N/A	00	283	Rosedale	18	27		022	peaver kiver	NIA	NIA
	193 A	Eyebrow	N/A	N/A		284	Rudy	18	19					
	194	Enfield	16	16		285	Fertile Valley	20	25					
3BS	17 A 45	Val Marie Mankota	N/A 28	N/A 28		286 314	Milden Dundum	28 24	28 31					
	75 A	Pinto Creek	22	22		344	Corman Park	29	30					
	75 B	Pinto Creek	20	20		346	Perdue	34	49					
	76 A	Auvergne	15	15		376 A	Eagle Creek	N/A	4					
	76 8	Auvergne Wise Creek	13 N/A	13 N/A	7.0	376 B 260	Eagle Creek Newcombe	N/A 22	8 23					
		Grassy Creek	21	22		287	St Andrews	N/A	1					
	78 B	Grassy Creek	22	24		288	Pleasant Valley	N/A	9					
		Grassy Creek	23	23		290 A	Kindersley	20	23					
	105	Glenbain Whiska Creek	N/A 14	N/A 14		290 B 292	Kindersley Milton	N/A 33	5 37					
	107	Lac Pelletier	N/A	N/A		317 A	Marriott	N/A	N/A					
	108	Bone Creek	20	20		317 B	Marriott	N/A	8					
BN	138	Webb	N/A	1		318 A	Mountain View	18	21					
	165 166	Morse Excelsion	N/A 12	N/A 13		318 B 320	Mountain View Oakdale	N/A 31	10					
	167	Sask Landing	15	16		321	Prainedale	40	43					
	168	Riverside	17	17				20						
	226	Victory	N/A	2										
		Lacadena	N/A	N/A										
	255 257	Coleau Monet	N/A 14	N/A 16										
	2.01	THE PERSON NAMED IN COLUMN TWO IS NOT THE PERSON NAMED IN COLUMN TWO IS NAMED IN COLUMN TW	14	10										
		**	inimate at											
		Mun	iicipality No	: A, B, C	, and D .	more the	an one reporter							

Municipality No: A, B, C, and D - more than one reporter

These precipitation amounts represent point locations within each municipality and do not necessarily reflect the whole R. M.

## Weekly Rainfall


for the week ending April 19, 2010



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.



Saskatchewan Ministry of Agriculture




Data Source

Rainfall - Ministry of Agriculture, Crop Report Database Spline interpolation (tension = 50)

### Weekly Rainfall

for the week ending April 19, 2010



Saskatchewan Ministry of Agriculture




Data Source:

Rainfall - Ministry of Agriculture, Crop Report Database Spline interpolation (tension = 50)


#### **Cumulative Rainfall**

From: April 1, 2010 To: April 19, 2010



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.






Data Source:


Rainfall - Ministry of Agriculture, Crop Report Database Spline interpolation (tension = 50)

### **Cropland Topsoil Moisture Conditions**

April 20, 2010








Data Source:

Moisture - Ministry of Agriculture, Crop Report Database Spline interpolation (tension = 50)

#### Cumulative Rainfall

From: April 1, 2010 To: April 19, 2010



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only



Saskatchewan Ministry of Agriculture


						N
0	25	50	100	150	200	4
_			Kilometers			W-0
Diversi	continue I		42 15 4 41415			

ata Source

Rainfall - Ministry of Agriculture, Crop Report Database Spline interpolation (tension = 50)

## Cropland Topsoil Moisture Conditions


April 20, 2010



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.



Saskatchewan Ministry of Agriculture






Data Source

Moisture - Ministry of Agriculture. Crop Report Database Spline interpolation (tension = 50)

# Hay and Pasture Topsoil Moisture Conditions April 20, 2010



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.



Saskatchewan Ministry of Agriculture




Data Source:

Moisture - Ministry of Agriculture, Crop Report Database Spline interpolation (tension = 50)




### Hay and Pasture Topsoil Moisture Conditions April 20, 2010



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.



Saskatchewan Ministry of Agriculture



Data Source:

Moisture - Ministry of Agriculture, Crop Report Database Spline interpolation (tension = 50)



